



Existing Uncontrolled Pedestrian Crossing to be Upgraded. Proposed 2.4m wide, 75mm (max) high raised crossing and ramp access at a slope of 1:15. Affected kerbing to be altered to suit. As per CC-SCD-05134 and CC-SCD-05145.

Existing Pedestrian Crossing to be Upgraded. Proposed 2.4m wide, 75mm (max) high raised Zebra crossing with belisha beacons, public lighting and ramp access at a slope of 1:15. Affected kerbing to be altered to suit. As per CC-SCD-05134 and CC-SCD-05145.

Existing road marking to be removed and reinstalled as shown

Proposed Planter Box 300mm Wide

Proposed pedestrian barriers

Existing Pedestrian Crossing to be Upgraded. Proposed 4m wide, 75mm (max) high raised Zebra crossing with existing belisha beacons, public lighting and ramp access at a slope of 1:15. Affected kerbing to be altered to suit. As per CC-SCD-05134 and CC-SCD-05145.

Revision	Description of Changes Made	By	Date

CLARE COUNTY COUNCIL
 Road Design Office, Áras Contae an Chláir, New Road, Ennis, Co. Clare
 T: 065 6821616 F: 065 68 21915
 E: rdo@clarecoco.ie W: www.clarecoco.ie

Project Title: **Safe Routes to School**

Drawing Title: **Ennis National School Section 38 Layout 1**

Status:	CHECK	Drawing No.:	Rev:
Designed by:	JK	70.09.024.05.03.002 01 -	
Drawn by:	AM		
Checked by:	JK		
Approved by:	-	Location:	
Scale:	1: @ A1		
Date:	0000-00-00		

© THIS DRAWING AND ANY DESIGN HEREON IS THE COPYRIGHT OF CLARE COUNTY COUNCIL AND MAY NOT BE COPIED, REPRODUCED OR TRANSMITTED IN ANY FORM WITHOUT THE PRIOR WRITTEN CONSENT OF THE CLARE COUNTY COUNCIL. ALL DIMENSIONS TO BE CHECKED ON SITE AND ANY DISCREPANCIES TO BE REPORTED TO THE CLARE COUNTY COUNCIL BEFORE WORK PROCEEDS. INCLUDES ORDNANCE SURVEY IRELAND DATA REPRODUCED UNDER OS LICENCE NUMBER (2023/05_NMA_035/CLARE COUNTY COUNCIL.) UNAUTHORISED REPRODUCTION INFRINGES ORDNANCE SURVEY IRELAND AND GOVERNMENT OF IRELAND COPYRIGHT. COPYRIGHT OF ORDNANCE SURVEY IRELAND 2023.